SAFETY DATA SHEET

Printed safety data sheets may be obsolete; validate prior to use.

SDS 100.1CDocument #Rev.Effective Date:15-OCT-2019

Page 1 of 8

	Secti	on 1. Identificatio	n
Product Identifier	Amazing Sculp	t [™] Resin (Part A)	
Product Identification	<u>SKU</u> AS2W AS1/4W AS1/8W	<u>GTIN</u> 00860492000618	<u>Description</u> Amazing Sculpt 2 lb (908g) Kit Amazing Sculpt 1/4 lb (114g) Kit Amazing Sculpt 1/8 lb (57g) Kit
Recommended Use	Sculpting and Modeling Clay		
Restricted Use	Intended for use by professional and commercial users and artists.		ommercial users and artists.
Supplier's Information:			
Company Name	UNBRIDLED, L	LC	
Address	203 Mission Ave Ste 201 Cashmere, WA 98815 United States		
Telephone	1-206-274-9114		
Website	https://unbridledllc.com		
Email	admin@unbridledllc.com		
Emergency Contact	Poison Control	Center 1-800-222-1222	2

	Sect	ion 2. Hazard(s) identification	
GHS Classification		nsitization Category 1 kin and eye irritation Category 2	
GHS Label Elements Hazard Pictograms	(!)	•	
Signal Word	Warning		
Hazard Statement	H315 H317 H320	Causes skin irritation. May cause an allergic skin reaction. Cause skin and eye irritation.	
Precautionary Statements			
General	P102	Keep out of reach of children.	
	P103	Read label before use.	
Prevention	P233	Keep container tightly closed when not in use.	
	P261	Avoid breathing dust.	
	P264	Wash hands and exposed skin thoroughly after handling.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	P281	Use personal protective equipment as required.	
Response	P302+P352 IF ON SKIN: Wash with plenty of soap and water.		
	P305+P	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.	

		Remove contact lenses, if present and easy to do. Continue rinsing.
	P333+P3	313 If skin irritation or rash occurs: Get medical advice/attention.
Storage		Not applicable.
Disposal	P501	Disposal of contents/container to be specified in accordance with regulations.
Hazard(s) not otherwise classified		None known.

Section 3. Composition/Information on ingredients Ingredient CAS % by Weight Magnesium Silicate Hydrate 14807-96-6 40-50 Chlorite-group mineral 1318-59-8 <8 **Titanium Dioxide** 13463-67-7 <20 Oxirane, 2,2'-[(1-methylethylidene)bis(4,1-25085-99-8 25-35 phenyleneoxymethylene)]bis-, homopolymer 2-Ethyl Hexyl Glycydyl Ether 2461-15-6 <4 **Trade Secret Trade Secret** <4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8 of the SDS.

Section 4. First aid measures	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Take off contaminated clothing and wash before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persist.
Ingestion	Rinse mouth. Do NOT induce vomiting. Get medical attention if symptoms occur.
Inhalation	Move to fresh air.and keep at rest in a position comfortable for breathing. If symptoms develop, obtain medical attention.
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. May cause redness and pain. Rash. Dermatitis.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Section 5. Fire-fighting measures		
Suitable extinguishing media	Use fire-extinguishing media appropriate for su	urrounding materials.
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	al During fire, gases hazardous to health may be formed.	
SDS 100 1 Bev C	Page 2 of 8	Effective 15-0CT-2019

Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet withface shield, gloves, rubber boots, and in enclosed spaces, SCBA
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

Section 6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	The product is immiscible with water and will sediment in water systems. Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Section	on 7. Handling and storage
Precautions for safe handling	Put on appropriate personal protective equipment, see Section 8 of the SDS. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Avoid breathing dust. Do not swallow. Ensure adequate ventilation. Keep in the origin container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse empty container.
Conditions for safe storage including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10 of the SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8	3. Exposure controls/P	ersonal protection	
Occupational Exposure Limits	OSHA PEL TWA	NIOSH	ACGIH TLV TWA
Magnesium Silicate Hydrate 14807-96-6	2 mg/m ³	TWA: 2 mg/m ³	2 mg/m ³
Titanium Dioxide 13463-67-7	15 mg/m ³	IDLH: 5,000 mg/m ³	10 mg/m ³
Epoxy Resin 25085-99-8	Not Established	Not Established	Not Established
Appropriate engineering controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.		
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection measures/pers	onal protective equipment		
Eye/face protection	risk assessment indicates	g with an approved standard this is necessary to avoid e dusts. Recommended: che	exposure to liquid
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.		
Skin protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.		
Special instructions for protection and hygiene	before eating, smoking an period. Appropriate techn contaminated clothing. Wa	Id face thoroughly after hand Id using the lavatory and at iques should be used to ren ash contaminated clothing b d safety showers are close to	the end of the working nove potentially pefore reusing. Ensure

Se	ection 9. Physical a	and chemical properties	
Appearance		Flammability (solid, gas)	N/A
Physical Form	Putty	Upper/lower flammability limit (by volume)	N/A
Color	White Smoke	Upper flammability limit (by volume)	N/A
Odor	Characteristic odor	Lower flammability limit (by volume)	N/A
Density	Not determined	Material VOC	N/A
Viscosity	N/A	Vapor density	Heavier than air
рН	N/A	Relative density	Not determined
Melting point/freezing point	N/A	Solubility in water	Negligible
Initial boiling point and boiling range	N/A	Partition coefficient: n-octanol/water	N/A
Flash point	N/A	Auto-ignition temperature	N/A
Evaporation rate	N/A	Decomposition temperature	N/A

Section 10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	Epoxy resins and epoxy resin hardeners react with each other producing heat. They should not be mixed with each other under uncontrolled conditions or in a large mass as the ensuing exothermic reaction may produce heat, smoke and hazardous decomposition products. Caustic soda (sodium hydroxide) can induce vigorous polymerization at temperatures a round 200 °C.
Incompatible materials	Strong acids, caustics, oxidizers, and epoxy hardeners in an uncontrolled condition.
Hazardous decomposition products	Carbon dioxide, carbon monoxide, nitrogen oxides and hydrocarbons.
Other hazards	None known.

Section 11. Toxicological information

Section 11. 10	dicological information
Acute health hazards	No comprehensive data on product itself.
Irritation/corrosion	No comprehensive data on product itself.
Sensitization	No information on product itself.
Mutagenicity	No information on product itself.
Carcinogenicity	No information on product itself.
Reproductive Toxicity	No information on product itself.
Carcinogenicity	No information on product itself.
Reproductive toxicity	No information on product itself.
Teratogenicity	No information on product itself.
Specific target organ troxicity (single exposure)	No information on product itself.
Specific target organ troxicity (repeated exposure)	No information on product itself.
Aspiration hazard	No information on product itself.
Potential acute health effects	
Eye contact	Causes eye irritation.
Inhalation	May cause respiratory irritation.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	Irritating to the mouth, throat, and stomach.
Symptoms related to the physical, chemical and to	kicological characteristics
Eye contact	Adverse symptoms may include the following: Pain or irritation, Watering, Redness.
Inhalation	Adverse symptoms may include the following: Respiratory tract irritation, Coughing.
Skin contact	Adverse symptoms may include the following: Irritation, Pain, Redness.
Ingestion	No specific data.
Delayed and immediate effects and also chronic eff from short and long term exposure	ects Not available.
Potential chronic health effects	
	e sensitized, a severe allergic reaction may occur when equently exposed to very low levels.
Carcinogenicity No k	nown significant effects or critical hazards.
Mutagenicity No k	nown significant effects or critical hazards.
Teratogenicity No k	nour circlf cont effects or exiting here red
	nown significant effects or critical hazards.
Developmental effects No k	nown significant effects or critical hazards.

Numerical measures of toxicity


Acute toxicity estimates (ATEmix) Not available.

Section 12. Ecological information		
Ecotoxicity No information on product itself.		
Persistence and degradability	No information on product itself.	
Bioaccumulative Potential	No information on product itself.	
Mobility in Soil		
Soil/water partition coefficient (KOC)	No information on product itself.	
Other adverse effects	No known significant effects or critical hazards.	

Section 13. Disposal considerations		
Waste from residues/ unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain someproduct residues. This material and its container must be disposed of in a safe manner. Avoid discharge into water courses or onto the ground.	
Contaminated packaging	Dispose of container and unused contents in accordance with federal, state and local requirements.	

Section 14. Transportation information		
DOT	ΙΑΤΑ	IMDG
Not regulated	Not regulated	Not regulated

	Section 15. Regulatory information		
Safety, health and environmental regulations/legislation specific for the substance or mixture			
CASRN	None known.		
SARA 302 Componets	None required.		
SARA 311,312	Not regulated.		
California Prop 65	This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.		
Chemical safety assessment	No chemical safety assessment has been carried out for this substance/mixture by the supplier.		



Abbreviations and acronyms

CAS - Chemical Abstract Service CASRN – CAS Registry Number DOT - US Department of Transportation HMIS - Hazardous Material Information Service IATA - International Air Transport Association IMDG - International Maritime Dangerous Goods Code NFPA - National Fire Protection Association SARA – Superfund Amendments and Reauthorization Act

Disclaimer

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Unbridled LLC, it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200).

© 2019, Unbridled LLC. Copying and/or downloading of this information for the purpose of properly utilizing Unbridled LLC products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Unbridled LLC, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.